## **AMENDMENT**

Amendments to the Claims: (strikethrough parts deleted and underlined parts added)

Please delete Claims 1-7, 14-16 without prejudice.

- 1. (Canceled)
- 2. (Canceled)
- 3. (Canceled)
- 4. (Canceled)
- 5. (Canceled)
- 6. (Canceled)
- 7. (Canceled)
- 8. (Original) A method of operating a plurality of valves in a spray chamber, said method comprising the steps of:

determining fluid presence at one or more of said valves;

opening one or more of said valves that have fluid present;

activating a pump fluidly connected to said valves; and

determining if a state change is required of any of said valves and executing said state changes if at least two valves are open.

- 9. (Original) The method of operating a plurality of valves in a spray chamber of Claim 8, including the step of executing a one valve open recovery routine when if a state change is required to open a second valve and only a first valve is currently open.
- 10. (Currently Amended) The method of operating a plurality of valves in a spray chamber of Claim 9, wherein said one valve open recovery routine is comprised of the following steps:

deactivating a pump said pump; opening said second valve after a delay time; and reactivating said pump.

- 11. (Original) The method of operating a plurality of valves in a spray chamber of Claim 8, including the step of performing a routine valve scheduler routine upon said valves for maintaining said valves in their respective desired state.
- 12. (Original) The method of operating a plurality of valves in a spray chamber of Claim 11, wherein said routine valve scheduler routine is comprised of the steps of:
  - (a) energizing a first valve to an appropriate state; and
  - (b) repeating step (a) for a next valve.
- 13. (Original) The method of operating a plurality of valves in a spray chamber of Claim 11, wherein said routine valve scheduler routine is comprised of the steps of:
  - (a) energizing a first valve to an appropriate state; and
  - (b) repeating step (a) for a next valve after a time period.
  - 14. (Canceled)
  - 15. (Canceled)
  - 16. (Canceled)

## Please add the following claims:

17. (New) A method of operating a plurality of valves in a spray chamber, said method comprising the steps of:

determining fluid presence at one or more of said valves; opening one or more of said valves that have fluid present; and determining if a state change is required of any of said valves and executing said state changes if at least two valves are open.

- 18. (New) The method of operating a plurality of valves in a spray chamber of Claim 17, including the step of executing a one valve open recovery routine when if a state change is required to open a second valve and only a first valve is currently open.
- 19. (New) The method of operating a plurality of valves in a spray chamber of Claim 18, wherein said one valve open recovery routine is comprised of the following steps:

deactivating a pump said pump; opening said second valve after a delay time; and reactivating said pump.

- 20. (New) The method of operating a plurality of valves in a spray chamber of Claim 17, including the step of performing a routine valve scheduler routine upon said valves for maintaining said valves in their respective desired state.
- 21. (New) The method of operating a plurality of valves in a spray chamber of Claim 20, wherein said routine valve scheduler routine is comprised of the steps of:
  - (a) energizing a first valve to an appropriate state; and
  - (b) repeating step (a) for a next valve.
- 22. (New) The method of operating a plurality of valves in a spray chamber of Claim 20, wherein said routine valve scheduler routine is comprised of the steps of:
  - (a) energizing a first valve to an appropriate state; and
  - (b) repeating step (a) for a next valve after a time period.